(according to 1907/2006/EC, Artikel 31)

#### für Art.Nr. EV979835

#### **Scale Kleen Descaler**

\*



#### Revision 10.02.2017 Version No. 5

SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier • Trade name: Scale Kleen Descaler · 1.2 Relevant identified uses of the substance or mixture and uses advised against · Application of the substance / the preparation: Coffee/Espresso machine/equipment cleaner · Uses advised against: No further relevant information available. • 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: Urnex Brands, Inc. Urnex Brands, Inc. 700 Executive Blvd. 29 Harley Street, London, W1G 9QR Elmsford, NY 10523 USA United Kingdom Tel: +44 (0)20 7927 6881 *Phone:* +1-914-963-2042 *Fax:* +1-914-963-2145 Email: info@urnex.com • Further information obtainable from: Urnex Brands, Inc. 700 Executive Blvd. Elmsford, NY 10523 USA Phone: +1-914-963-2042 Fax: +1-914-963-2145 Email: info@urnex.com • 1.4 Emergency telephone number: *Tel.:* 800-424-9300 (USA) Tel.: 001-703-527-3887 (INTERNATIONAL COLLECT ACCEPTED) **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 Skin Corr. 1A H314 Causes severe skin burns and eve damage. Eye Dam. 1\_\_\_H318\_Causes\_serious\_eye damage. · Classification according to Directive 67/548/EEC or Directive 1999/45/EC C; Corrosive R34: Causes burns. · Information concerning particular hazards for human and environment: The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version. • Classification system: The classification is according to the latest editions of the EU-lists, and extended by company and literature data. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. · Hazard pictograms GHS05 · Signal word Danger


(according to 1907/2006/EC, Artikel 31)

#### für Art.Nr. EV979835

#### **Scale Kleen Descaler**



### Revision 10.02.2017 Version No. 5



- **PBT:** Not determined
- **vPvB:** Not determined

#### **SECTION 3:** Composition/information on ingredients

#### • 3.2 Chemical characterisation: Mixtures

· Dangerous components:	
7784-13-6 Aluminum Chloride Hexahydrate	< 50%
🛃 C R34	
📀 Skin Corr. 1B, H314; 🚸 Acute Tox. 4, H302	
5949-29-1 2-hyroxy-1,2,3-propane tricarboxylic acid,monohydrate	< 50%
🗙 Xi R36	
(1) Eye Irrit. 2, H319	
• Additional information: For the wording of the listed risk phrases refer to section 16.	

#### **SECTION 4: First aid measures**

#### • 4.1 Description of first aid measures

- General information:
- Take affected persons out of danger area and lay down.
- Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact:
- Immediately wash with water and soap and rinse thoroughly.
- If skin irritation continues, consult a doctor.
- After eye contact:
- Rinse opened eye for several minutes under running water. Then consult a doctor.
- Remove contact lenses, if present and easy to do. Continue rinsing.
- After swallowing:
- Rinse out mouth and then drink plenty of water.
- If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

(according to 1907/2006/EC, Artikel 31)

#### für Art.Nr. EV979835

#### **Scale Kleen Descaler**

# Liberty Vertriebs GmbH

## Revision 10.02.2017 Version No. 5

(Contd. of page 2) · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available. **SECTION 5: Firefighting measures** 5.1 Extinguishing media • Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire extinguishing methods suitable to surrounding conditions. · For safety reasons unsuitable extinguishing agents: Water with full jet • 5.2 Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. In case of fire, the following can be released: Carbon monoxide Carbon dioxide Under certain fire conditions, traces of other toxic gases cannot be excluded. 5.3 Advice for firefighters • *Protective equipment:* Wear self-contained respiratory protective device. Additional information Cool endangered receptacles with water spray. Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

## **SECTION 6:** Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation. Wear protective clothing. Avoid formation of dust.
- 6.2 Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.
  6.3 Methods and material for containment and cleaning up: Pick up mechanically. Ensure adequate ventilation.
- Dispose of the material collected according to regulations.
- · 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

# SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Any unavoidable deposit of dust must be regularly removed.

- Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Store away from oxidising agents.
- Further information about storage conditions: Keep container tightly sealed. Store under lock and key and out of the reach of ch

Store under lock and key and out of the reach of children.

(Contd. on page 4)

(according to 1907/2006/EC, Artikel 31)

#### für Art.Nr. EV979835

#### **Scale Kleen Descaler**



### Revision 10.02.2017 Version No. 5

(Contd. of page 3)

Protect from humidity and water.

· 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Do not eat, drink, smoke or sniff while working. Do not inhale dust / smoke / mist. Immediately remove all spiled and contaminated clothi
- Immediately remove all soiled and contaminated clothing.
- Avoid contact with the eyes and skin.
- The usual precautionary measures are to be adhered to when handling chemicals.
- *Respiratory protection:* Not necessary if room is well-ventilated.
- Protection of hands:



Protective gloves

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

- · Material of gloves
- Natural rubber, NR
- Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- *Eye protection: Safety glasses*
- · Body protection: Protective work clothing

# **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties
 General Information
 Appearance:

 Form:
 Solid
 Colour:
 According to product specification
 Odour:
 Characteristic

 pH-value (10 g/l) at 20 °C: 2
 Change in condition

 Melting point/Melting range: Not determined.

Liberty Vertriebs GmbH // Bonner Straße 103 // 40589 Düsseldorf // Tel.: 0211 75 35 20 // Fax: 0211 75 35 75 // Internet: www.libertyshop.de

(according to 1907/2006/EC, Artikel 31)

#### für Art.Nr. EV979835

**Scale Kleen Descaler** 



#### Revision 10.02.2017 Version No. 5

	(Contd. of page 4)
Boiling point/Boiling range:	Not determined.
· Flash point:	Not determined.
· Ignition temperature:	Not determined.
• Decomposition temperature:	Not determined.
Self-igniting:	Product is not selfigniting.
• Danger of explosion: • Explosion limits:	Product does not present an explosion hazard.
Oxidising properties	No
Density:	Not determined.
· Solubility in / Miscibility with	
water:	Soluble.
• 9.2 Other information	No further relevant information available.

## SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability No decomposition if used and stored according to specifications.
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions** Reacts with reducing agents.
- Reacts with strong acids and oxidising agents.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: Strong oxidizing agents
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

## SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity:

- · LD/LC50 values relevant for classification:
- 7784-13-6 Aluminum Chloride Hexahydrate

Oral LD50 1990 mg/kg (Mouse)

3311 mg/kg (Rat)

5949-29-1 2-hyroxy-1,2,3-propane tricarboxylic acid,monohydrate

Oral LD50 5040 mg/kg (Mouse)

11700 mg/kg (Rat)

#### • Primary irritant effect:

- on the skin: Caustic effect on skin and mucous membranes.
- on the eye: Strong caustic effect.
- Sensitisation: No sensitising effects known.
- · Additional toxicological information:
- The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Corrosive

(Contd. on page 6)

(according to 1907/2006/EC, Artikel 31)

#### für Art.Nr. EV979835

#### **Scale Kleen Descaler**

# Liberty Vertriebs GmbH

### Revision 10.02.2017 Version No. 5

#### (Contd. of page 5)

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

# SECTION 12: Ecological information

#### · 12.1 Toxicity

#### · Aquatic toxicity:

#### 5949-29-1 2-hyroxy-1,2,3-propane tricarboxylic acid,monohydrate

LC50 (96h) 440-706 mg/l (Fish)

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow product to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not determined
- vPvB: Not determined
- · 12.6 Other adverse effects No further relevant information available.

#### **SECTION 13: Disposal considerations**

- 13.1 Waste treatment methods
- · Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packaging
- *Recommendation:* Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport info	rmation
· 14.1 UN-Number	
· ADR, IMDG, IATA	UN3260
· 14.2 UN proper shipping name	
· ADR	3260 CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (Aluminum Chloride Hexahydrate)
· IMDG, IATA	CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S. (Aluminum Chloride Hexahydrate)
	( Contd_on_page.

(according to 1907/2006/EC, Artikel 31)

#### für Art.Nr. EV979835

#### **Scale Kleen Descaler**



Revision 10.02.2017 Version No. 5

	(Contd. of page
· 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA	
S S S S S S S S S S S S S S S S S S S	
· Class	8 Corrosive substances.
· Label	8
· 14.4 Packing group	
· ADR, IMDĞ, IATA	II
· 14.5 Environmental hazards:	
· Marine pollutant:	No
· 14.6 Special precautions for user	Warning: Corrosive substances.
· Danger code (Kemler):	80
· EMS Number:	F- $A$ , $S$ - $B$
· Segregation groups	Acids
· 14.7 Transport in bulk according to Anne.	x II of
MARPOL73/78 and the IBC Code:	Not applicable.
· Transport/Additional information:	
· ADR	
• Tunnel restriction code	E
· UN "Model Regulation":	UN3260, CORROSIVE SOLID, ACIDIC, INORGANI N.O.S. (Aluminum Chloride Hexahydrate), 8, II

# **SECTION 15: Regulatory information**

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H319 Causes serious eye irritation.

*R34 Causes burns.* 

*R36 Irritating to eyes.* 

· Department issuing SDS:

(Contd. on page 8)

(according to 1907/2006/EC, Artikel 31)

für Art.Nr. EV979835

**Scale Kleen Descaler** 



#### Revision 10.02.2017 Version No. 5

(Contd. of page 7) Chemservice GmbH Herrnsheimer Hauptstrasse 1b D-67550 Worms Tel.: +49 (0)6241-95480-0 Fax: +49 (0)6241-95480-25 Email: sds@chemservice-group.com · Contact: sds@chemservice-group.com • Abbreviations and acronyms: REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals MARPOL: (from Marine Pollutant) International Convention for the Prevention of Marine Pollution from Ships IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk UN: United Nations (also UNO: United Nations Organization) NOEC: No Observed Effect Concentration OECD: Organisation for Economic Co-operation and Development ASTM: American Society for Testing and Materials WAF: Water Accommodated Fraction ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2 • \* Data compared to the previous version altered.